

## SVHN\_01.01.01\_Hypoglycaemia\_Bundle\_of\_Care\_Audit

<b>Audit Name</b>	SVHN_01.01.01_Hypoglycaemia_Bundle_of_Care_Audit_November_2016
<b>Auditor</b>	
<b>Ward/Dept</b>	
<b>Audit Date</b>	
<b>MRN*</b>	
<b>Admission Date*</b>	
<b>Questionnaire Instruction</b>	Review any appropriate documentation to answer the following questions. Please answer Yes, No, or Not Applicable (if patient does not need/want this intervention). Comment for all NO answers. Hypoglycaemia Bundle of Care Adapted from NHS National Diabetes Inpatient Audit 2012

ID	Question	Comment
7503	<p>Q1. Did the patient have any BGLs less than 4mmol/L during their admission?©  <i>(if <b>Yes</b>, jump to question no: 2; if <b>No</b>, finish16; if <b>N/A</b>, finish16; )</i></p> <p> <input type="radio"/> Yes  <input type="radio"/> No  <input type="radio"/> N/A </p>	
7504	<p>Q2. Was the patient given quick acting oral carbohydrate or, if unable to eat and drink*, IV 50% Glucose or glucagon 1mg IM?©  <i>(*unconscious, drowsy, NBM, sips H2O only, impaired swallow or NG tube feeds)</i></p> <p> <input type="radio"/> Yes  <input type="radio"/> No  <input type="radio"/> N/A </p>	
7505	<p>Q3. Was the BGL monitored every 15 mins until BGL = 5mmol/L?©</p> <p> <input type="radio"/> Yes  <input type="radio"/> No  <input type="radio"/> N/A </p>	
7506	<p>Q4. Was the patient given long acting oral carbohydrate or, if unable to eat and drink* continuous IV 5% Glucose, once the BGL was = 5mmol/L?©  <i>(*unconscious, drowsy, NBM, sips H2O only, impaired swallow or NG tube feeds)</i></p> <p> <input type="radio"/> Yes  <input type="radio"/> No  <input type="radio"/> N/A </p>	
7507	<p>Q5. If the patient had any BGLs less than 4mmol/L with decreased level of consciousness during their admission was a Rapid Response call initiated?©  <i>(Tick NA if not applicable)</i></p> <p> <input type="radio"/> Yes  <input type="radio"/> No  <input type="radio"/> N/A </p>	

7508	<p>Q6. Was the next scheduled insulin dose given (include any reviewed insulin dose)?©</p> <p><input type="radio"/> Yes</p> <p><input type="radio"/> No</p> <p><input type="radio"/> N/A</p>	
7509	<p>Q7. Was hypoglycaemia treatment documented on the 'Hypoglycaemia Treatment Record' of the Adult Subcutaneous Insulin Prescribing Chart?©</p> <p><input type="radio"/> Yes</p> <p><input type="radio"/> No</p> <p><input type="radio"/> N/A</p>	
7510	<p>Q8. Was hypoglycaemia treatment documented in the patient healthcare record?©</p> <p><input type="radio"/> Yes</p> <p><input type="radio"/> No</p> <p><input type="radio"/> N/A</p>	
7511	<p>Q9. After treating hypoglycaemia was the patient's BGL = 5mmol/L within 45 mins?©</p> <p><input type="radio"/> Yes</p> <p><input type="radio"/> No</p> <p><input type="radio"/> N/A</p>	
7514	<p>Q10. Number of episodes of hypoglycaemia during the admission between 07:01 - 12:00</p> <p><i>(If the patient experienced hypoglycaemia (any BGL below 4mmol/L) during the last 7 days indicate the number of episodes in each of the following time periods)</i></p> <p>_____</p>	
7515	<p>Q11. Number of episodes of hypoglycaemia during the admission between 12:01 - 17:00</p> <p><i>(If the patient experienced hypoglycaemia (any BGL below 4mmol/L) during the last 7 days indicate the number of episodes in each of the following time period)</i></p> <p>_____</p>	
7516	<p>Q12. Number of episodes of hypoglycaemia during the admission between 17:01 - 22:00</p> <p><i>(If the patient experienced hypoglycaemia (any BGL below 4mmol/L) during the last 7 days indicate the number of episodes in each of the following time periods)</i></p> <p>_____</p>	
7517	<p>Q13. Number of episodes of hypoglycaemia during the admission between 22:01 - 07:00</p> <p><i>(If the patient experienced hypoglycaemia (any BGL below 4mmol/L) during the last 7 days indicate the number of episodes in each of the following time periods)</i></p> <p>_____</p>	

